



- LEGEND**
- TREE CONDITION CATEGORIES**
-  A TREES OF HIGH VALUE AND QUALITY
 -  B TREES OF MODERATE VALUE AND QUALITY
 -  C TREES OF LOW QUALITY AND VALUE
 -  U TREES OF VERY LOW QUALITY TO BE REMOVED IN THE INTERESTS OF SOUND ARBORICULTURAL MANAGEMENT
 -  TREE CONSTRAINTS
-  TREE SURVEY BOUNDARY

Drawing to be interpreted with reference to the Arboricultural Assessment & Impact document

Tree constraints shown are calculated from guidelines contained within BS5837 (2012) within dimensions contained within Section 8 of the Tree Survey document. This outline should not be interpreted as the exact extent of root spread however it is considered the optimal area to be retained free of developmental impacts. Natural and/or man made barriers such as waterlogged soil or buildings may restrict the spread of tree roots. Crown spreads may also prove to be a constraint particularly where crown reduction may not be possible. The constraints lines shown on this drawing are therefore a guide only. An on-site assessment should be undertaken in the event of any developments being planned within the areas shown for retained trees.

REVISION	DATE	DESCRIPTION	JOB NO.
PROJECT: PROPOSED LARGE-SCALE RESIDENTIAL (BLOCK B1 AND BLOCK C) PARKGATE STREET, DUBLIN 7			TPAR002
DRAWING: ARBORICULTURAL ASSESSMENT			SCALE: AS SHOWN
DRAWN BY: CIARAN KEATING			INITIALS: CK
STATUS: PLANNING			
DRAWING NO. 101			

NOTES
 1. Other Scales: Use Figured Dimensions Only.
 2. Not for Construction Purposes unless Specifically Marked.
 © THIS DRAWING IS COPYRIGHT OF CMK HORTICULTURE + ARBORICULTURE LTD.

